

Certificate of Compliance

| Certificate: | 80046238 | Master Contract: | 203233 |
|--------------|--|------------------|------------|
| Project: | 80072119 | Date Issued: | 2021-04-27 |
| Issued To: | Hebei Yongle Tape Co., Ltd. No. 9 East YanYi Road Industrial Park Zhuozhou City, Hebei, 072750 China | | |

Attention: Chunming Jin

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.



Issued by: Wilson Wang Wilson Wang

PRODUCTS

CLASS 9052 02 - INSULATING DEVICES AND MATERIALS - Electrical Tape CLASS 9052 82 - INSULATING DEVICES AND MATERIALS - Electrical Tape - Certified to US Standards

CLASS 9052 02 and CLASS 9052 82:

Part A: Polyvinyl chloride (PVC) insulating tapes, Cat No. 810, rated -10C to 80C

CLASS 9052 02:

<u>Part B:</u> Polyvinyl chloride (PVC) insulating tapes, Cat Nos. Pro-43 (alternate Cat No. 711), Pro-98, 85CW and 737 (alternate Cat No. Pro-36C), rated -18C to 105C.

<u>Part C</u>: Polyvinyl chloride (PVC) insulating tapes, Cat Nos. 700 (alternate Cat No. EE-100), and EE-200, rated 0C to 80C.



Certificate: 80046238 **Project:** 80072119

Master Contract: 203233 Date Issued: 2021-04-27

<u>Part D</u>: Polyvinyl chloride (PVC) insulating tapes, Cat No. 707 (alternate Cat No. EC-800), rated -10C to 105C.

Note:

- 1. The tapes may be marked "Weather Resistant" for Cat Nos. 810, Pro-98, 85CW, Pro-43 (alternate Cat No. 711) and 737 (alternate Cat No Pro-36C); and,
- In the U.S. may also be marked "Flame Retardant", "Sunlight Resistant" or/and "Cold Resistant" for Cat No. 810.

APPLICABLE REQUIREMENTS

CSA C22.2 No 197 - PVC Insulating Tape

UL 510 - Polyvinyl Chloride, Polyethylene and Rubber Insulating Tape



Supplement to Certificate of Compliance

Certificate: 80046238

Master Contract: 203233

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

| Project | Date | Description |
|----------|------------|--|
| 80072119 | 2021-04-27 | Update report 80046238 to add the following models, which are transferred from Plymouth Yongle Tape (Shanghai) Co., Ltd., (MC: 236023, Report 1815455): Temperature range: 0C to 80C Cat No 700 (alternate Cat No EE-100), 0.17mm, in all colours except natural. Cat No EE-200, 0.25mm, in all colours except natural. Temperature range: -10C to105C Cat No 707 (alternate Cat No EC-800), 0.17mm, in all colours except natural. Temperature range: -18C to 105C Cat No's Pro-98, 85CW, 0.21mm, in all colours except natural. Cat No's 711 (alternate Cat No Pro-43), 737 (alternate Cat No's Pro-36C), 0.17mm, in all colours except natural. |
| 80046238 | 2020-12-04 | Supersede report 1053079 and update to comply with UL510 10th Edition for Cat No. 810, and update to meet the requirement of CSA Notice 251. Update to add new PVC Insulating Tape, Cat No. Pro-43, rated -18C to 105C, weather resistance, as per CSA Standard C22.2 No. 197-M1983 (R2018). |